N

0 1 2 4 6 8 km

Legend

- Ashford Borough Boundary
- No Depth Data available

Depth (m)

- 0.00 - 0.01
- 0.01 - 0.1
- 0.1 - 0.5
- 0.5 - 1
- 1.00- 1.5
- 1.5 - 2.0
- 2.01 - 2.5
- 2.50 - 5.0

Notes

Modelling has been undertaken for watercourses within the following hydraulic models only to include the Environment Agency's (2016) updated guidance on climate change:

- Hamstreet Fluvial Model (2011)
- Ashford Fluvial Model (2012)
- Great Stour Fluvial Model (2013) (Model 1 - Wye to Thannington)

Therefore, Flood Zone 3a has been used to delineate the extent of flooding from watercourses where depth data is not currently avaiable.

Key Plan Scale 1:2,000,000



Drawn GL	Date November 2016	Approved JJS

THIS DRAWING MAY BE USED ONLY FOR THE PURPOSE INTENDED

Ashford Borough Council

ASHFORD BOROUGH COUNCIL

JBA consulting


www.jbaconsulting.com

Ashford SFRA


Defended 1% AEP (1 in 100-year)
Plus Climate Change (+ 105%)
Fuvial Flood Depth

Scale 1:125,000 @ A3 Map No: 5.6

Reproduced from Ordnance Survey mapping with the permission of Ordnance Survey on behalf of the Controller of Her Majesty's Stationary Office. © Crown copyright and database rights 2016.



Reproduced from Ordnance Survey mapping with the permission of Ordnance Survey on behalf of the Controller of Her Majesty's Stationary Office. © Crown copyright and database rights 2016.



Legend

- Ashford Borough Boundary
- No Depth Data available

Depth (m)

- 0.00 - 0.01
- 0.01 - 0.1
- 0.1 - 0.5
- 0.5 - 1
- 1.00- 1.5
- 1.5 - 2.0
- 2.01 - 2.5
- 2.50 - 5.0

Notes

Modelling has been undertaken for watercourses within the following hydraulic models only to include the Environment Agency's (2016) updated guidance on climate change:

- Hamstreet Fluvial Model (2011)
- Ashford Fluvial Model (2012)
- Great Stour Fluvial Model (2013) (Model 1 - Wye to Thannington)

Therefore, Flood Zone 3a has been used to delineate the extent of flooding from watercourses where depth data is not currently avaiable.

Key Plan



Scale 1:2,000,000

Drawn GL	Date November 2016	Approved JJS

THIS DRAWING MAY BE USED ONLY FOR THE PURPOSE INTENDED

Ashford Borough Council

ASHFORD BOROUGH COUNCIL

JBA consulting

www.jbaconsulting.com

Ashford SFRA

Defended 1% AEP (1 in 100-year)
Plus Climate Change (+ 45%)
Fuvial Flood Depth

Scale 1:125,000 @ A3

Map No: 5.5

Reproduced from Ordnance Survey mapping with the permission of Ordnance Survey on behalf of the Controller of Her Majesty's Stationary Office. © Crown copyright and database rights 2016.

N

0 1 2 4 6 8 km

Legend

- Ashford Borough Boundary
- No Depth Data available

Depth (m)

- 0.00 - 0.01
- 0.01 - 0.10
- 0.10 - 0.50
- 0.50 - 1.00
- 1.00- 1.50
- 1.50 - 2.00
- 2.00 - 2.50
- 2.50 - 5.00

Notes

Modelling has been undertaken for watercourses within the following hydraulic models only to include the Environment Agency's (2016) updated guidance on climate change:

- Hamstreet Fluvial Model (2011)
- Ashford Fluvial Model (2012)
- Great Stour Fluvial Model (2013) (Model 1 - Wye to Thannington)

Therefore, Flood Zone 3a has been used to delineate the extent of flooding from watercourses where depth data is not currently avaiable.

Key Plan

Scale 1:2,000,000

Drawn GL	Date November 2016	Approved JJS

THIS DRAWING MAY BE USED ONLY FOR THE PURPOSE INTENDED

Ashford Borough Council

ASHFORD BOROUGH COUNCIL

JBA consulting

www.jbaconsulting.com

Ashford SFRA

Undefended 1% AEP (1 in 100-year)
Plus Climate Change (+ 105%)
Fuvial Flood Depth

Scale 1:125,000 @ A3

Map No: 5.3

Reproduced from Ordnance Survey mapping with the permission of Ordnance Survey on behalf of the Controller of Her Majesty's Stationary Office. © Crown copyright and database rights 2016.

N

0 1 2 4 6 8 km

Legend

- Ashford Borough Boundary
- No Depth Data available

Depth (m)

- 0.00 - 0.01
- 0.01 - 0.10
- 0.10 - 0.50
- 0.50 - 1.00
- 1.00- 1.50
- 1.50 - 2.00
- 2.00 - 2.50
- 2.50 - 5.00

Notes

Modelling has been undertaken for watercourses within the following hydraulic models only to include the Environment Agency's (2016) updated guidance on climate change:

- Hamstreet Fluvial Model (2011)
- Ashford Fluvial Model (2012)
- Great Stour Fluvial Model (2013) (Model 1 - Wye to Thannington)

Therefore, Flood Zone 3a has been used to delineate the extent of flooding from watercourses where depth data is not currently avaiable.

Key Plan Scale 1:2,000,000



Drawn GL	Date November 2016	Approved JJS

THIS DRAWING MAY BE USED ONLY FOR THE PURPOSE INTENDED

Ashford Borough Council

ASHFORD BOROUGH COUNCIL

JBA consulting


www.jbaconsulting.com

Ashford SFRA

Undefended 1% AEP (1 in 100-year)
Plus Climate Change (+ 35%)
Fuvial Flood Depth

Scale 1:125,000 @ A3 Map No: 5.1

Reproduced from Ordnance Survey mapping with the permission of Ordnance Survey on behalf of the Controller of Her Majesty's Stationary Office. © Crown copyright and database rights 2016.



Legend

- Ashford Borough Boundary
- No Depth Data available

Depth (m)

- 0.00 - 0.01
- 0.01 - 0.10
- 0.10 - 0.50
- 0.50 - 1.00
- 1.00- 1.50
- 1.50 - 2.00
- 2.00 - 2.50
- 2.50 - 5.00

Notes

Modelling has been undertaken for watercourses within the following hydraulic models only to include the Environment Agency's (2016) updated guidance on climate change:

- Hamstreet Fluvial Model (2011)
- Ashford Fluvial Model (2012)
- Great Stour Fluvial Model (2013) (Model 1 - Wye to Thannington)

Therefore, Flood Zone 3a has been used to delineate the extent of flooding from watercourses where depth data is not currently avaiable.

Key Plan Scale 1:2,000,000



Drawn GL	Date November 2016	Approved JJS

THIS DRAWING MAY BE USED ONLY FOR THE PURPOSE INTENDED

Ashford Borough Council

ASHFORD BOROUGH COUNCIL

JBA consulting


www.jbaconsulting.com

Ashford SFRA

Undefended 1% AEP (1 in 100-year)
Plus Climate Change (+ 45%)
Fuvial Flood Depth

Scale 1:125,000 @ A3 Map No: 5.2

Reproduced from Ordnance Survey mapping with the permission of Ordnance Survey on behalf of the Controller of Her Majesty's Stationary Office. © Crown copyright and database rights 2016.



Legend

- Ashford Borough Boundary
- No Hazard Data available

Hazard rating

- Very low hazard - Caution
- Danger for some
- Danger for most
- Danger for all

Notes

Modelling has been undertaken for watercourses within the following hydraulic models only to include the Environment Agency's (2016) updated guidance on climate change:

- Hamstreet Fluvial Model (2011)
- Ashford Fluvial Model (2012)
- Great Stour Fluvial Model (2013) (Model 1 - Wye to Thannington)

Therefore, Flood Zone 3a has been used to delineate the extent of flooding from watercourses where hazard data is not currently avaiable.

Key Plan



Scale 1:2,000,000

Drawn GL	Date November 2016	Approved JJS

THIS DRAWING MAY BE USED ONLY FOR THE PURPOSE INTENDED

Ashford Borough Council

ASHFORD BOROUGH COUNCIL

JBA consulting

www.jbaconsulting.com


Ashford SFRA

Defended 1% AEP (1 in 100-year)
Plus Climate Change (+ 105%)
Fuvial Flood Hazard

Scale 1:125,000 @ A3

Map No: 6.6

Reproduced from Ordnance Survey mapping with the permission of Ordnance Survey on behalf of the Controller of Her Majesty's Stationary Office. © Crown copyright and database rights 2016.



Legend

- Ashford Borough Boundary
- No Hazard Data available

Hazard rating

- Very low hazard - Caution
- Danger for some
- Danger for most
- Danger for all

Notes

Modelling has been undertaken for watercourses within the following hydraulic models only to include the Environment Agency's (2016) updated guidance on climate change:

- Hamstreet Fluvial Model (2011)
- Ashford Fluvial Model (2012)
- Great Stour Fluvial Model (2013) (Model 1 - Wye to Thannington)

Therefore, Flood Zone 3a has been used to delineate the extent of flooding from watercourses where hazard data is not currently avaiable.

Key Plan

Scale 1:2,000,000



Drawn GL	Date November 2016	Approved JJS

THIS DRAWING MAY BE USED ONLY FOR THE PURPOSE INTENDED

Ashford Borough Council

ASHFORD BOROUGH COUNCIL

JBA consulting

www.jbaconsulting.com

Ashford SFRA

Defended 1% AEP (1 in 100-year)
Plus Climate Change (+ 35%)
Fuvial Flood Hazard

Scale 1:125,000 @ A3

Map No: 6.4

Reproduced from Ordnance Survey mapping with the permission of Ordnance Survey on behalf of the Controller of Her Majesty's Stationary Office. © Crown copyright and database rights 2016.

N

0 1 2 4 6 8 km

Legend

- Ashford Borough Boundary
- No Hazard Data available

Hazard rating

- Very low hazard - Caution
- Danger for some
- Danger for most
- Danger for all

Notes

Modelling has been undertaken for watercourses within the following hydraulic models only to include the Environment Agency's (2016) updated guidance on climate change:

- Hamstreet Fluvial Model (2011)
- Ashford Fluvial Model (2012)
- Great Stour Fluvial Model (2013) (Model 1 - Wye to Thannington)

Therefore, Flood Zone 3a has been used to delineate the extent of flooding from watercourses where hazard data is not currently avaiable.

Key Plan

Scale 1:2,000,000

Drawn GL	Date November 2016	Approved JJS

THIS DRAWING MAY BE USED ONLY FOR THE PURPOSE INTENDED

Ashford Borough Council

ASHFORD BOROUGH COUNCIL

JBA consulting

www.jbaconsulting.com

Ashford SFRA

Defended 1% AEP (1 in 100-year)
Plus Climate Change (+ 45%)
Fuvial Flood Hazard

Scale 1:125,000 @ A3

Map No: 6.5

Reproduced from Ordnance Survey mapping with the permission of Ordnance Survey on behalf of the Controller of Her Majesty's Stationary Office. © Crown copyright and database rights 2016.

N

0 1 2 4 6 8 km

Legend

- Ashford Borough Boundary
- No Hazard Data available

Hazard rating

- Very low hazard - Caution
- Danger for some
- Danger for most
- Danger for all

Notes

Modelling has been undertaken for watercourses within the following hydraulic models only to include the Environment Agency's (2016) updated guidance on climate change:

- Hamstreet Fluvial Model (2011)
- Ashford Fluvial Model (2012)
- Great Stour Fluvial Model (2013) (Model 1 - Wye to Thannington)

Therefore, Flood Zone 3a has been used to delineate the extent of flooding from watercourses where hazard data is not currently avaiable.

Key Plan

Scale 1:2,000,000

Drawn GL	Date November 2016	Approved JJS

THIS DRAWING MAY BE USED ONLY FOR THE PURPOSE INTENDED

Ashford Borough Council

ASHFORD BOROUGH COUNCIL

JBA consulting

www.jbaconsulting.com


Ashford SFRA

Undefended 1% AEP (1 in 100-year)
Plus Climate Change (+ 105%)
Fuvial Flood Hazard

Scale 1:125,000 @ A3

Map No: 6.3

Reproduced from Ordnance Survey mapping with the permission of Ordnance Survey on behalf of the Controller of Her Majesty's Stationary Office. © Crown copyright and database rights 2016.



Legend

- Ashford Borough Boundary
- No Hazard Data available

Hazard rating

- Very low hazard - Caution
- Danger for some
- Danger for most
- Danger for all

Notes

Modelling has been undertaken for watercourses within the following hydraulic models only to include the Environment Agency's (2016) updated guidance on climate change:

- Hamstreet Fluvial Model (2011)
- Ashford Fluvial Model (2012)
- Great Stour Fluvial Model (2013) (Model 1 - Wye to Thannington)

Therefore, Flood Zone 3a has been used to delineate the extent of flooding from watercourses where hazard data is not currently avaiable.

Key Plan

Scale 1:2,000,000



Drawn GL	Date November 2016	Approved JJS

THIS DRAWING MAY BE USED ONLY FOR THE PURPOSE INTENDED

Ashford Borough Council

ASHFORD BOROUGH COUNCIL

JBA consulting

www.jbaconsulting.com

Ashford SFRA

Undefended 1% AEP (1 in 100-year)
Plus Climate Change (+ 35%)
Fuvial Flood Hazard

Scale 1:125,000 @ A3

Map No: 6.1

Reproduced from Ordnance Survey mapping with the permission of Ordnance Survey on behalf of the Controller of Her Majesty's Stationary Office. © Crown copyright and database rights 2016.

N

0 1 2 4 6 8 km

Legend

- Ashford Borough Boundary
- No Hazard Data available

Hazard rating

- Very low hazard - Caution
- Danger for some
- Danger for most
- Danger for all

Notes

Modelling has been undertaken for watercourses within the following hydraulic models only to include the Environment Agency's (2016) updated guidance on climate change:

- Hamstreet Fluvial Model (2011)
- Ashford Fluvial Model (2012)
- Great Stour Fluvial Model (2013) (Model 1 - Wye to Thannington)

Therefore, Flood Zone 3a has been used to delineate the extent of flooding from watercourses where hazard data is not currently avaiable.

Key Plan

Scale 1:2,000,000



Drawn GL	Date November 2016	Approved JJS

THIS DRAWING MAY BE USED ONLY FOR THE PURPOSE INTENDED

Ashford Borough Council

ASHFORD BOROUGH COUNCIL

JBA consulting

www.jbaconsulting.com


Ashford SFRA

Undefended 1% AEP (1 in 100-year)
Plus Climate Change (+ 45%)
Fuvial Flood Hazard

Scale 1:125,000 @ A3

Map No: 6.2

Reproduced from Ordnance Survey mapping with the permission of Ordnance Survey on behalf of the Controller of Her Majesty's Stationary Office. © Crown copyright and database rights 2016.



Legend

- Ashford Borough Boundary
- No Velocity Data available

Velocity (m/s)

- 0.0 - 0.2
- 0.2 - 0.5
- 0.5 - 1.0
- 1.0 - 2.0
- > 2.0

Notes

Modelling has been undertaken for watercourses within the following hydraulic models only to include the Environment Agency's (2016) updated guidance on climate change:

- Hamstreet Fluvial Model (2011)
- Ashford Fluvial Model (2012)
- Great Stour Fluvial Model (2013) (Model 1 - Wye to Thannington)

Therefore, Flood Zone 3a has been used to delineate the extent of flooding from watercourses where velocity data is not currently avaiable.

Key Plan Scale 1:2,000,000



Drawn GL	Date November 2016	Approved JJS

THIS DRAWING MAY BE USED ONLY FOR THE PURPOSE INTENDED

Ashford Borough Council

ASHFORD BOROUGH COUNCIL

JBA consulting


www.jbaconsulting.com

Ashford SFRA

Defended 1% AEP (1 in 100-year)
Plus Climate Change (+ 45%)
Fuvial Flood Velocity

Scale 1:125,000 @ A3 Map No: 13.5

Reproduced from Ordnance Survey mapping with the permission of Ordnance Survey on behalf of the Controller of Her Majesty's Stationary Office. © Crown copyright and database rights 2016.



Legend

- Ashford Borough Boundary
- No Velocity Data available

Velocity (m/s)

- 0.0 - 0.2
- 0.2 - 0.5
- 0.5 - 1.0
- 1.0 - 2.0
- > 2.0

Notes

Modelling has been undertaken for watercourses within the following hydraulic models only to include the Environment Agency's (2016) updated guidance on climate change:

- Hamstreet Fluvial Model (2011)
- Ashford Fluvial Model (2012)
- Great Stour Fluvial Model (2013) (Model 1 - Wye to Thannington)

Therefore, Flood Zone 3a has been used to delineate the extent of flooding from watercourses where velocity data is not currently avaiable.

Key Plan



Scale 1:2,000,000

Drawn GL	Date November 2016	Approved JJS

THIS DRAWING MAY BE USED ONLY FOR THE PURPOSE INTENDED

Ashford Borough Council

ASHFORD BOROUGH COUNCIL

JBA consulting

www.jbaconsulting.com


Ashford SFRA

Defended 1% AEP (1 in 100-year)
Plus Climate Change (+ 35%)
Fuvial Flood Velocity

Scale 1:125,000 @ A3

Map No: 13.4

Reproduced from Ordnance Survey mapping with the permission of Ordnance Survey on behalf of the Controller of Her Majesty's Stationary Office. © Crown copyright and database rights 2016.



Legend

- Ashford Borough Boundary
- No Hazard Data available

Velocity (m/s)

- 0.0 - 0.2
- 0.2 - 0.5
- 0.5 - 1.0
- 1.0 - 2.0
- > 2.0

Notes

Modelling has been undertaken for watercourses within the following hydraulic models only to include the Environment Agency's (2016) updated guidance on climate change:

- Hamstreet Fluvial Model (2011)
- Ashford Fluvial Model (2012)
- Great Stour Fluvial Model (2013) (Model 1 - Wye to Thannington)

Therefore, Flood Zone 3a has been used to delineate the extent of flooding from watercourses where velocity data is not currently avaiable.

Key Plan Scale 1:2,000,000



Drawn GL	Date November 2016	Approved JJS

THIS DRAWING MAY BE USED ONLY FOR THE PURPOSE INTENDED

Ashford Borough Council

ASHFORD BOROUGH COUNCIL

JBA consulting


www.jbaconsulting.com

Ashford SFRA

Defended 1% AEP (1 in 100-year)
Plus Climate Change (+ 45%)
Fuvial Flood Velocity

Scale 1:125,000 @ A3 Map No: 13.5

Reproduced from Ordnance Survey mapping with the permission of Ordnance Survey on behalf of the Controller of Her Majesty's Stationary Office. © Crown copyright and database rights 2016.



Drawn GL	Date November 2016	Approved JJS

THIS DRAWING MAY BE USED ONLY FOR THE PURPOSE INTENDED

Ashford Borough Council

ASHFORD BOROUGH COUNCIL

JBA consulting

www.jbaconsulting.com

Ashford SFRA

Undefended 1% AEP (1 in 100-year)
Plus Climate Change (+ 105%)
Fuvial Flood Velocity

Scale 1:125,000 @ A3

Map No: 13.3

Reproduced from Ordnance Survey mapping with the permission of Ordnance Survey on behalf of the Controller of Her Majesty's Stationary Office. © Crown copyright and database rights 2016.

N

0 1 2 4 6 8 km

Legend

- Ashford Borough Boundary
- No Velocity Data available

Velocity (m/s)

- 0.0 - 0.2
- 0.2 - 0.5
- 0.5 - 1.0
- 1.0 - 2.0
- > 2.0

Notes

Modelling has been undertaken for watercourses within the following hydraulic models only to include the Environment Agency's (2016) updated guidance on climate change:

- Hamstreet Fluvial Model (2011)
- Ashford Fluvial Model (2012)
- Great Stour Fluvial Model (2013) (Model 1 - Wye to Thannington)

Therefore, Flood Zone 3a has been used to delineate the extent of flooding from watercourses where velocity data is not currently avaiable.

Key Plan

Scale 1:2,000,000

Drawn GL	Date November 2016	Approved JJS

THIS DRAWING MAY BE USED ONLY FOR THE PURPOSE INTENDED

Ashford Borough Council

ASHFORD BOROUGH COUNCIL

JBA consulting

www.jbaconsulting.com

Ashford SFRA

Undefended 1% AEP (1 in 100-year)
Plus Climate Change (+ 35%)
Fuvial Flood Velocity

Scale 1:125,000 @ A3

Map No: 13.1

Reproduced from Ordnance Survey mapping with the permission of Ordnance Survey on behalf of the Controller of Her Majesty's Stationary Office. © Crown copyright and database rights 2016.

N

0 1 2 4 6 8 km

Legend

- Ashford Borough Boundary
- No Velocity Data available

Velocity (m/s)

- 0.0 - 0.2
- 0.2 - 0.5
- 0.5 - 1.0
- 1.0 - 2.0
- > 2.0

Notes

Modelling has been undertaken for watercourses within the following hydraulic models only to include the Environment Agency's (2016) updated guidance on climate change:

- Hamstreet Fluvial Model (2011)
- Ashford Fluvial Model (2012)
- Great Stour Fluvial Model (2013) (Model 1 - Wye to Thannington)

Therefore, Flood Zone 3a has been used to delineate the extent of flooding from watercourses where velocity data is not currently avaiable.

Key Plan

Scale 1:2,000,000

Drawn GL	Date November 2016	Approved JJS

THIS DRAWING MAY BE USED ONLY FOR THE PURPOSE INTENDED

Ashford Borough Council

ASHFORD BOROUGH COUNCIL

JBA consulting

www.jbaconsulting.com

Ashford SFRA

Undefended 1% AEP (1 in 100-year)
Plus Climate Change (+ 45%)
Fuvial Flood Velocity

Scale 1:125,000 @ A3

Map No: 13.2

Reproduced from Ordnance Survey mapping with the permission of Ordnance Survey on behalf of the Controller of Her Majesty's Stationary Office. © Crown copyright and database rights 2016.